+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 1

## Funni 2ML HHC-O Flips Disposable Strawberry Cough

Sample ID: SA-220729-10854

Batch: 0019

Type: Finished Products

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 07/29/2022 Completed: 08/11/2022 Client

Direct Distribution LLC 333 N. Falkenburg Rd Tampa, FL 33619

USA



Summary

Test

Cannabinoids

**Date Tested** 08/11/2022

Status Tested

ND Total ∆9-THC

42.5 % (6aR,9R,10aR)-HHC acetate

83.0 %

Total Cannabinoids

**Not Tested** 

Moisture Content

**Not Tested** 

Foreign Matter

Yes

Internal Standard Normalization

## Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.216	2.16
CBN acetate	0.0067	0.02	15.6	156
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	ND	ND
Δ8-ΤΗС	0.0104	0.0312	ND	ND
Δ9-ΤΗС	0.0076	0.0227	ND	ND
Δ9-ΤΗCΑ	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
(6aR,9R,10aR)-HHC acetate	0.0067	0.02	42.5	425
(6aR,9S,10aR)-HHC acetate	0.0067	0.02	24.8	248
Total Δ9-THC			ND	ND
Total CBD			ND	ND
Total			83.0	830

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit;  $\Delta$  = Delta; Total  $\Delta$ 9-THC =  $\Delta$ 9-THC4 \* 0.877 +  $\Delta$ 9-THC; Total CBD = CBDA \* 0.877 + CBD;

Generated By: Ryan Bellone Commercial Director Date: 08/11/2022

Tested By: Scott Caudill Senior Scientist Date: 08/11/2022









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance Lested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories CCA Laboratories are provide measurement uncertainty upon request.